Application No. Applicant(s) 10/786,619 SUZUKI ET AL. Notice of Allowability Examiner Art Unit Elizabeth Keaney 2882 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to amendments filed 21 July 2005. 2. The allowed claim(s) is/are 1-8. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). b) ☐ Some* c) ☐ None 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. ☐ Interview Summary (PTO-413). Paper No./Mail Date 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), 7. X Examiner's Amendment/Comment Paper No./Mail Date 7/16/04 4. ☐ Examiner's Comment Regarding Requirement for Deposit 8. X Examiner's Statement of Reasons for Allowance of Biological Material 9. Other ____.

Art Unit: 2882

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Paul Fournier on 1 September 2005.

The application has been amended as follows:

Claim 3, lines12-15 have been changed to: "the first and second planar
members holding the insulating block in place by sandwiching the
insulating block there between at its first and second sides without
providing any fastening member in the insulating block, the first and
second planar members being fastened to each other via one or more
spacer members provided separately from the insulating block."

Allowable Subject Matter

Claims 1-8 are allowed over the prior art of record.

The following is an examiner's statement of reasons for allowance:

Re claims 1 and 2: The prior art discloses an x-ray source comprising: an x-ray tube, a power supply including an insulating block, a first planar member securing the x-

Application/Control Number: 10/786,619 Page 3

Art Unit: 2882

ray tube and arranged on a first side of the insulating block and a second planar member disposed on a second side of the insulating block which is substantially parallel with the first side of the insulating block. However, the prior art fails to teach or fairly suggest an x-ray source wherein the first and second planar members hold the insulating block in place by sandwiching the insulating block there between at its first and second sides without providing any fastening member in the insulating block, as claimed in claim 1. Claim 2 is allowable by virtue of its dependency.

Re claims 3-8: The prior art discloses an x-ray source comprising: an x-ray tube, a power supply including an insulating block, a first planar member securing the x-ray tube and arranged on a first side of the insulating block and a second planar member disposed on a second side of the insulating block which is substantially parallel with the first side of the insulating block. However, the prior art fails to teach or fairly suggest an x-ray source wherein the first and second planar members hold the insulating block in place by sandwiching the insulating block there between at its first and second sides without providing any fastening member in the insulating block, the first and second planar members being fastened to each other via one or more spacer members provided separately from the insulating block, as claimed in claim 3. Claims 4-8 are allowable by virtue of their dependency.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2882

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth Keaney whose telephone number is (571)272-2489. The examiner can normally be reached on Monday, Tuesday, Thursday, Friday 7:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on (571)272-2490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MK

SUPERVISORY PATENT EXAMINED